
THE EQUALIZER

2026 Manual



Thank you for purchasing “The **Equalizer**”.

Your Equalizer is available in three calibers 9mm/.40 caliber/.45 caliber check to be sure which pin choice you ordered. Pins are interchangeable via consumer. You can order pins here www.rwdsystems.com

Below you will find instructions on how to mount and use you **Equalizer**.

You will also find a bag in your Equalizer that includes the following;

Allen wrench, Two screws for stud, extra O rings, Pin & Magnet.

You can get extra O-rings Here www.rwdsystems.com.



Tools needed to mount unit to wall via a stud.

Pencil

Stud finder

Power drill with Phillips head.

Small level

Remember you have three mounting positions.

Page | 3



Use heavy duty drywall anchors in four corners when mounting on drywall.



Once you have found your location and have marked your position hold the Equalizer in position and run the top screw in but do not tighten it down yet. Now take a level and place it on top of the Equalizer making sure everything is level. Now run the bottom screw and tighten them both.

Congratulations You have now successfully installed your **Equalizer**. Now let's discuss mounting the firearm in the **Equalizer**.

Now that you have your Equalizer mounted it's time to mount your Firearm on the deployment pin found inside the frame. See below.

Page | 4



Remember RWDSLCC recommends clearing chamber prior to storing your firearm on the deployment pin and into the Equalizer.

Place barrel over the pin until the crown of the barrel is resting on the O ring

Page | 5



Now push and twist to seat the crown of the barrel over the O ring.

See below.



Okay Great

See next page.

You are now ready to check your firearm now that it is mounted on the deployment pin.

Under the deployment block there is a set screw that when turned to the left lowers the firearm. Turning to the right raises the firearm. Caution is advised as follows. While raising the firearm be sure to stop when the set screw starts to feel tight. Do not over tighten! The Firearm should be angled slightly higher on back side of firearm. Below the 3rd picture is correct. Remember to seat crown over O ring.

Page | 6



Firearm too low incorrect

Firearm Level incorrect

Firearm tilted up correct position

You can now fold the firearm up and into the box using one hand while closing the door with the other hand.



Removing the Firearm is easy buy doing the following.

See next page

Removing the firearm

Open door enough to allow the firearm to present its self. The firearm will be in your hand in under 2 seconds after some practice. Grab the firearm as normal keeping trigger dissipline in mind and slightly twist and pull in unison and the firearm will slide right off the pin.

Page | 7



Locking the door



Insert pin with magnet attached Slide the magnet off leaving pin in box. Use magnet to remove pin.

Congradulations! Your **Equalizer** is now ready

RWDS.LLC Legal Disclaimer

Thank you for purchasing the “Equalizer” from RWDS.LLC

Page | 8

WARNING: This is not a firearm safe. This is a firearm storage device. If the purchaser has young children who do not understand the potential danger of firearms, it is essential that you keep them stored. This product is intended to be hung on a wall out of young children’s reach. You understand that this device is not a firearm safe but merely a device to store your firearm in. It is your responsibility to store your firearm according to the laws and requirements of your local and state laws. We make no representation this storage device fulfils any legal requirements for safely storing your firearm. By purchasing this device, you agree that you are fully responsible for safely storing your firearm. Never store your firearm with a chambered round.

You understand that gun ownership involves a certain amount of risk which can be minimized, but not eliminated by properly securing and storing your firearm.

You understand improper use of this device such as storing a firearm with a chambered round could result in the accidental discharge of the firearm. Accidental discharge could result in damage to your personal property, bodily injury and possibly death.

Follow all firearm safety techniques when using this device. Never store a firearm with a round in the chamber. And remember to use necessary caution when stowing and trigger discipline when removing the firearm.

By purchasing our product’s, you accept and agree to the above statement.

sales@rwdsystems.com

“When Seconds Count”